

NOTICE TO APPLICANT OF DETERMINATION
OF A DEVELOPMENT APPLICATION

Issued under the *Environmental Planning & Assessment Act, 1979* Section 81(1)(a)

TO: Ruralcert Pty Ltd
OF: 2285 Emmaville Road
Reddestone NSW 2370

being the applicant in respect of **Application No DA-100/2019**

Notice is hereby given of the determination by Council of **Application No. DA-100/2019** relating to the land owned by **Miss Leonie Anne Pettit and Mr Christopher Michael Manuel, of 233 Swanbrook Road, Inverell NSW 2360** and is described as follows:

Lot 7 DP 1224701
14 White Box Place, INVERELL 2360

The development proposal is: **Dwelling and Shed**

The Determination is **consent granted subject to conditions described below** made on **9 October 2019**.

This consent expires five (5) years from the date on which it commences to operate in accordance with Section 83 of the Environmental Planning and Assessment Act 1979 unless the work to which it relates has physically commenced on site within that period. Where the approval relates to a use of the land rather than to the carrying out of works then that use must have commenced on site within that five year period.

The conditions of consent are set out as follows:

Preliminary

1. Inverell Shire Council issues its consent, subject to conditions stated hereunder, in accordance with Section 80A of the *Environmental Planning and Assessment Act 1979*.

Consent is granted for construction of a dwelling, shed and retaining wall

To confirm and clarify the terms of consent, the development must be carried out in accordance with the stamped and approved plans and accompanying documentation, unless modified by any following condition. Any deviation will require the consent of Council.

2. The applicant must comply with all relevant prescribed conditions as contained in Division 8A of the *Environmental Planning & Assessment Regulation 2000* (as detailed at the end of this consent).
3. The dwelling is to be constructed to comply with a Bush Fire Attack Level (BAL) of 19 in accordance with Australian Standard 3959 and the stamped and approved plans.

Prior to Construction

4. Prior to the commencement of any works (including earthworks) on the site a Construction Certificate must be issued in accordance with Section 109C (1)(b) and 81A (2) of the *Environmental Planning and Assessment Act 1979*. The application for a Construction Certificate shall include plans and specifications demonstrating full compliance with the *Building Code of Australia* and associated standards.

During Construction

5. To safeguard the local amenity, reduce noise nuisance and to prevent environmental pollution during the construction period:
- Works on site are to be carried out in accordance with the *Protection of the Environment Operations Act 1997* in relation to noise, dust and associated nuisances from the site. The carrying out of works shall not interfere with the quiet enjoyment of the surrounding neighbourhood;
 - Construction may only be carried out between 7.00am and 5.00pm, Monday to Saturday, and no construction is to be carried out at any time on a Sunday or Public Holiday. Council may consent to vary these hours in particular circumstances where it can be demonstrated that it is unavoidable;
 - Stockpiles of topsoil, sand, aggregate, spoil or other material shall be stored clear of any drainage path of easement, natural watercourse, footpath, kerb or road surface and shall implement measures to prevent the movement of such material off site;
 - Building operations such as brick cutting, washing tools, concreting and bricklaying shall be undertaken on the building block. The pollutants from these building operations shall be contained on site;
 - Builders waste must not be burnt or buried on site. All waste (including felled trees) must be contained and removed to a waste disposal depot;
 - Sediment and erosion control measures are to be implemented onsite and maintained until the site is fully stabilised, in accordance with Council's Erosion and Sedimentation Control Policy 2004; and
 - Where the proposed development involves the disturbance of any existing survey monuments, those monuments affected will need to be relocated by a registered surveyor under the *Surveying and Spatial Information Act 2002*. A plan showing the relocated monuments will then be required to be lodged as a matter of public record at the Lands Titles Office.

Prior to Occupation

6. Prior to occupation of the premises, an Occupation Certificate must be issued in accordance with Section 109M of the *Environmental Planning and Assessment Act 1979*.

Note: Prior to issue of the Occupation Certificate, the Principal Certifying Authority is required to be satisfied, amongst other things, that:

- all required inspections (including each applicable mandatory critical stage inspection) have been carried out; and
 - any preconditions to the issue of the certificate required by a development consent have been met.
7. Prior to issue of an Occupation Certificate, where applicable, the following works are to be completed:
- All adjacent public and private land must be cleared of obstructions such as stockpiles of topsoil, building material, waste and other material associated with construction.
 - The applicant will repair/restore, or pay the full costs associated with repairing/restoring, any footpath, public reserve and infrastructure that is damaged by the development.
 - Any unused layback in the kerb and gutter is to be capped to Council's satisfaction.
 - Sediment and erosion control measures, which are no longer required, are to be removed including any silt/sediment in gutters and/or drains.
8. Prior to issue of an Occupation Certificate, a system of onsite sewage management must be installed and operational.

